






Applicant: Hiroaki Shizuya
Application No.: 09/896,509
Filed: June 28, 2001
Page 2


In the Specification

Please amend TABLE 1 on page 20 as follows:

TABLE 1

Clone Types	Locations of Tn5 Transposon	Growth at 30 C on LB + KM +Cm plate	Growth at 43 C on LB + Km plate	Growth at 43 C on LB plate (No drug)	43 C + Cm
A. 	No Transposon	No	No	Yes	No
B. 	Transposon in non-essential gene outside BAC homology region	Yes	Yes	Yes	No
C. 	Transposon in essential gene outside BAC homology region	No	No	No	No
D. 	Transposon in non-essential gene <u>inside</u> BAC homology region	Yes	Yes	Yes	No
E 	Transposon in essential gene <u>inside</u> BAC homology region	Yes	<u>[[Yes]]</u> <u>No</u>	<u>[[Yes]]</u> <u>No</u>	No

Applicant: Hiroaki Shizuya
Application No.: 09/896,509
Filed: June 28, 2001
Page 3

F 	Transposon in BAC	Yes	No	Yes	No
--	-------------------	-----	----	-----	----

For illustration purpose, only the BAC segment homologous to *E. coli* chromosome is shown in a linear form with two connecting lines to *E. coli* chromosome in the diagram.
Insertion location of Tn5 = ☆